

North East Quality Observatory Service

Back Pain Report

Slough



Contains National Statistics data (c) Crown copyright and database right 2014 Contains Ordnance Survey data (c) Crown copyright and database right 2014

Copyright © 2016 Northumberland Tyne and Wear NHS Foundation Trust and South Tees NHS Foundation Trust (on behalf of the North East Quality Observatory Service, NEQOS)

BetterKnowledgeBetterCareBetterOutcomes

neqos@nhs.net www.neqos.nhs.uk

NEQOS Back Pain Report

This back pain report contains health intelligence produced by NEQOS to support the implementation of the national pathfinder project to provide better pathways of care for people with low back and radicular pain. The NHS England Pathfinder Projects were established to address high value care pathways which cross commissioning and health care boundaries. Many conditions require a pathway of care which moves from the general practitioner through primary care and community services and into secondary care and sometimes specialised services. Difficulties in commissioning across boundaries, however, can cause artificial interruptions in what should be a seamless care pathway. The Pathfinder Projects are designed for all Stakeholders to work collaboratively to examine in depth these health care interfaces and to develop commissioning structures to commission care across the whole pathway. The Trauma Programme of Care Board selected low back pain and radicular pain as the Pathfinder Project as this is a high value care pathway in view of the very large number of patients involved.

The future of the pathway is that it is designed to be run in primary care (general practice and community physiotherapy) and referral into secondary specialist care is only at the end of the pathway. Key to the success of the pathway are the Triage and Treat practitioners; the highly trained practitioners, either extended scope physiotherapists or nurse specialists who essentially run the pathway and have access to bookable slots for the core therapies, nerve root blocks, spinal surgical clinic appointments or pain clinic appointments. This reduces very significantly the delays in the previous system and also reduces the "pinball" management that is a feature of so many health care systems. Quality care is less expensive by reducing ineffective or repetitive treatment and by reducing conversion into chronic disability

In this profile, the current utilisation of secondary care services for back and radicular pain are shown by CCG and providers, including both NHS Trusts and Independent Sector providers to demonstrate variation in activity regionally and across England. This report is based on the population of patients under the care of CCGs in the South Central Region and provides important information about patient flows from these CCGs across all providers within this region.

Information on hospital admissions is presented by admission method (elective vs. emergency) and type of procedure (surgery, injections, pain management etc.) undertaken. The aim of this report is to assist both clinicians and commissioners in comparing treatment activity rates between regional providers and against national data to reduce variation and develop evidence based care pathways to improve patient outcomes.

Ongoing monitoring of this secondary care activity will evidence where changes implemented through the national pathfinder project for acute low back and radicular pain to provide timely access to evidence based treatments can improve the quality of patient care, provide community based alternatives to secondary care admissions for back pain and reduce secondary care expenditure.

It is important to note that this report is based on the cohort of patients with back and/or radicular pain but does not include patients who have back pain due to specific diagnosis such as cancer, infection, spinal trauma, inflammatory arthritis, cauda equine syndrome as these patients have very different treatment pathways of care.

Acknowledgements

This work has been funded through the Getting It Right First Time (GIRFT) project that is part of the Department of Health funded Clinically-Led Quality and Efficiency Programme.

Acknowledgements to the Health & Social Care Information Centre (HSCIC) as the source of data used in this report and to Professor Greenough and Mr Ashley Cole for their expert clinical guidance and advice.

Introduction and background

Low back pain is extremely common and is the largest single cause of loss of disability adjusted life years, and the largest single cause of years lived with disability in England (Global Burden of Disease, 2013). In terms of disability adjusted life years lost per 100,000, low back pain is responsible for 2,313. By contrast the remainder of musculo-skeletal complaints counts for 911, depression 704 and diabetes 337. It should be borne in mind that this is principally occurring in people of working age, or with families. UK specific data shows that LBP was top cause of years lived with disability in both 1990 and 2010 – with a 12% increase over this time. Back pain accounts for 11% of the entire disability burden from all diseases in the UK; furthermore the burden is increasing both absolutely (3.7% increase) and proportionally (7% to 8.5%).

NEQOS have produced CCG and hospital Trust level activity profiles to understand the current position in terms of secondary care activity for back and radicular pain and have worked with a range of key stakeholders from both provider and commissioner organisations to develop the profiles to ensure that the indicators shown are appropriate and relevant to the project. This information needs to be viewed in conjunction with data soon to become available from Arthritis Research UK about the prevalence of back pain and associated risk factors and where possible with locally available data from general practice, including prescribing rates, and onward referrals from primary care (e.g. physiotherapy and radiology).

Technical specification

Following a data discovery exercise supported by Professor Charles Greenough (National Clinical Director for Spinal Disorders, South Tees NHS Foundation Trust), definitions for low back and radicular pain were developed based on a combination of diagnosis codes (ICD-10) and relevant secondary care procedures were identified using OPCS 4.7 codes. These codes have been supported by Mr Ashley Cole, Chair of Specialised Spinal Surgery Clinical Reference Group (Consultant Orthopaedic Surgeon, Northern General Hospital and Sheffield Children's Hospital).

Data definitions

Data Source: Hospital Episode Statistics (Health & Social Care Information Centre via HDIS). Please note that 2014/15 data is currently classed as provisional.

CCG populations: Health & Social Care Information Centre (Ages 15 & over as at April 2015) (Data was provided in 5 year ages bands, therefore we were unable to use exact figures for Ages 16 & over)

A summary of the data definitions used is shown below:

Time period: April 2011 - March 2015 Primary diagnosis = back pain (specific ICD10 codes) Limited to episode 1 Age 16 years and over Private patients are included unless specified Admission costs are based on the national tariff Directly Age & Sex Standardised Rates use the European Standard Populations

The NHS Trusts included for the South Central Region are:

- Frimley Health NHS Foundation Trust
- Buckinghamshire Healthcare NHS Trust
- Royal Berkshire NHS Foundation Trust
- Gloucestershire Hospitals NHS Foundation Trust
- Oxford University Hospitals NHS Trust
- Royal United Hospitals Bath NHS Foundation Trust
- Salisbury NHS Foundation Trust
- Great Western Hospitals NHS Foundation Trust

The Independent Sector Providers included for the South Central Region are:

- Circle Reading Hospital
- BMI Bath Clinic


Clinical Commissioning Group (CCG) activity summary

1. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015), summary a. Hospital admissions at national level, indicating back pain type and admission method

England	Back	Radicular	Total	% Back	% Radicular
Elective	134,448	102,808	237,256	56.7%	43.3%
Emergency	39,331	14,309	53,640	73.3%	26.7%
Other	771	951	1,722	44.8%	55.2%
Total	174,550	118,068	292,618	59.7%	40.3%
-					
South Central					
CCGs	Back	Radicular	Total	% Back	% Radicular
Elective	6,759	6,654	13,413	50.4%	49.6%
Emergency	1,931	855	2,786	69.3%	30.7%
Other	51	38	89	57.3%	42.7%

b. Hospital admissions at CCG level, indicating proportion of admissions for back pain


Table indicates the proportion of admission	is for back pain only (ai	nd not radicular pain)	
Swindon	41.2%	Bracknell & Ascot	55.9%
Newbury & District	44.1%	Slough	58.5%
South Reading	44.1%	Gloucestershire	58.8%
Wokingham	44.4%	Chiltern	60.7%
North & West Reading	44.8%	Aylesbury Vale	60.9%
Wiltshire	48.9%	Oxfordshire	61.0%
Bath & North East Somerset	49.6%	Windsor, Ascot & Maidenhead	65.7%
South Central CCGs	53.7%	England	59.8%



c. Hospital admissions at CCG level, by admission method

Table indicates the proportion of admissions for back and radicular pain that is recorded as elective

South Central CCGs	82.3%	England	81.1%
Bracknell & Ascot	83.5%	Newbury & District	91.2%
Wiltshire	82.4%	Wokingham	91.0%
Gloucestershire	79.1%	North & West Reading	90.7%
Windsor, Ascot & Maidenhead	73.3%	Bath & North East Somerset	90.6%
Slough	70.5%	South Reading	90.0%
Swindon	69.5%	Aylesbury Vale	86.7%
Oxfordshire	69.5%	Chiltern	86.5%



What is the data telling us?

In the latest 12 month period there were almost 300,000 admissions for back and radicular pain in England, with 16,288 (5.6%) of these from patients registered within the South Central CCGs included in this report.

At a national level the proportional split for hospital admissions is 60% for back pain and 40% for radicular pain, and at CCG level in South Central the proportion of admissions for back pain ranges from 41.2% to 65.7%.

Approximately 81% of back and radicular pain admissions are elective, with the South Central mirroring the national rate. At CCG level in the South Central region the proportion of elective admissions ranges from 69.9% in Oxfordshire to 91.2% in Newbury and District.


Clinical Commissioning Group (CCG) activity

2. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015)


a. Hospital admissions for back pain by CCG (all admission methods), Directly Age & Sex Standa	ardised Admission rate per 100,000 population
------------------------------------------------------------------------------------------------	-----------------------------------------------

CCG name	All	Elective	Emergency	CCG name	All	Elective	Emergency
South Reading	909.1	824.4	84.3	Wiltshire	599.6	491.9	104.6
North & West Reading	906.0	825.7	79.3	Chiltern	590.1	510.8	78.2
Newbury & District	834.3	758.6	73.9	Slough	542.1	393.4	146.4
Wokingham	775.3	705.6	68.8	Gloucestershire	480.8	382.0	92.4
Aylesbury Vale	687.9	594.0	93.3	Windsor, Ascot & Maidenhead	414.5	303.8	109.3
Bath & North East Somerset	680.9	618.1	59.2	Swindon	378.5	270.2	108.3
Bracknell & Ascot	654.2	550.9	102.5	Oxfordshire	313.9	221.7	89.4
South Central CCGs	544.2	450.1	91.2	England	645.6	526.5	115.4


b. Hospital admissions for back and radicular pain (all admission methods), Directly Age & Sex Standardised Admission rate per 100,000 population



c. Elective hospital admissions for back and radicular pain, Directly Age & Sex Standardised Admission rate per 100,000 population



d. Emergency hospital admissions for back and radicular pain, Directly Age & Sex Standardised Admission rate per 100,000 population



What is the data telling us?


There is wide variation in elective admission rates across the CCGs within South Central with over a 3.7-fold difference between the regional lowest (Oxfordshire CCG) and the highest CCG for the region (North and West Reading CCG). Similarly, for emergency admissions there is wide variation across the CCGs in the region with all South Central CCGs, except Slough CCG, below the national average; 7 CCGs in the lowest quintile.

Clinical Commissioning Group (CCG) activity - GP practice level


3. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015)

Each symbol represents one GP practice

a. Hospital admissions for back pain (Elective admissions), Indirectly Standardised Ratio Slough



b. Hospital admissions for back pain (Emergency admissions), Indirectly Standardised Ratio



What is the data telling us?

The admission rates for elective and emergency admissions for each GP practice within the CCG are expressed as Indirectly Standardised Ratios with 100 representing the national average. This adjustment has been made due to small numbers and in order that comparisons can be made between practices.

The upper and lower confidence limits on the funnel charts above are based on national data. Each circle represents the constituent GP Practices for the selected CCG(s). All GP practices within the funnel have admission rates that are not significantly different that the national rates with those above the upper blue funnel having significantly higher rates than the national average.


4. Indirectly Standardised Ratios for Elective & Emergency Admissions for Back & Radicular Pain, by GP Practice *Slough*


Indirectly Standardised Ratios that are coloured Red are higher than 3 standard deviations from the mean. Those coloured Yellow are between 2 and 3 higher standard deviations from the mean.

					Elective			Emergency	
Practice Code	Practice Name	CCG	Population 15+	Observed	Expected	Ratio	Observed	Expected	Ratio
K81005	Wexham Road Surgery	10T	3,250	8	13.51	59.22	<6	3.32	150.72
K81024	Langley Health Centre	10T	13,464	50	62.27	80.29	13	14.46	89.90
K81034	Crosby House Surgery	10T	8,865	16	36.86	43.41	14	9.06	154.55
K81039	The Avenue Medical Centre	10T	5,272	30	23.84	125.82	7	5.63	124.24
K81043	Herschel Medical Centre	10T	9,863	38	43.26	87.84	10	10.24	97.66
K81075	Farnham Road Practice	10T	18,315	67	78.23	85.65	26	18.58	139.90
K81082	The Village Medical Centre	10T	10,446	30	45.40	66.08	11	10.79	101.91
K81083	Bharani Medical Centre	10T	9,896	16	38.91	41.12	14	9.68	144.70
K81085	Shreeji Medical Centre	10T	4,970	12	21.18	56.67	<6	4.97	60.39
K81086	Manor Park Medical Centre	10T	8,054	29	34.23	84.72	7	7.87	88.91
K81089	Ragstone Road Surgery	10T	2,808	7	13.08	53.54	7	3.00	233.37
K81608	Dr Nabi	10T	3,813	8	14.25	56.13	<6	3.67	109.13
K81616	Kumar Medical Centre	10T	3,585	9	15.09	59.64	7	3.62	193.42
K81645	240 Wexham Road	10T	3,486	7	13.53	51.74	<6	3.38	118.41
Y00265	Slough Walk-In Health Centre	10T	4,727	7	15.67	44.66	<6	4.41	113.49
Y00437	The Orchard Surgery	10T	5,976	17	25.91	65.62	<6	6.06	66.00


5. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015)

a. Number of hospital admissions for back pain (all admission methods, NHS Trusts only)





b. Number of admissions per hospital Trust, by admission method (South Central Providers only)



What is the data telling us?

The total number of admissions for back pain is presented due to the absence of a relevant denominator at hospital Trust level. Activity for the 8 NHS Trusts is to some degree proportional to the size of the Trust and is spread across the quintile chart.

The proportion of hospital activity for back pain which is classed as elective care is slightly higher than England for the South Central providers overall, however at NHS Trust level the proportion varies between 65% at Great Western to 89% at Buckinghamshire.

All NHS activity at independent sector providers is classed as elective.

5. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) c. Elective admissions for back and radicular pain, by treatment specialty (South Central Providers only)

	Pain						
	Management &	Trauma &	Spinal Surgery	Interventional			
Provider Name	Anaesthetics	Orthopaedics	Service	Radiology	Neurosurgery	Other Functions	Total
Gloucestershire	908	659	-	-	-	12	1,579
Oxford	567	-	512	-	142	19	1,240
Buckinghamshire	1,162	728	-	140	-	11	2,041
Great Western	125	491	-	-	-	9	625
Bath	1,383	134	<6	-	-	55	1,572
Frimley	2,325	1,716	-	-	-	20	4,061
Royal Berkshire	320	1,070	27	131	-	436	1,984
Salisbury	-	894	-	-	-	7	901
Spire Dunedin Hospital	235	62	-	-	130	<6	427
Circle Reading Hospital	26	456	-	-	-	<6	482
BMI - Bath Clinic	74	408	-	-	-	-	482
Total	7,125	6,618	539	271	272	569	15,394

d. Elective admissions for injections for back and radicular pain, by injection type and treatment specialty (national data)

Treatment Function Title	Other Back Pain Injection	Epidural (not specified)	Epidural Lumbar	Epidural Sacral	Injection Facet Joint	Spinal Nerve Root Injection	Total
Pain Management & Anaesthetics	11,485	1,572	19,926	12,780	46,506	12,482	104,751
Trauma & Orthopaedics	1,286	175	4,190	15,658	10,080	11,518	42,907
Spinal Surgery Service	200	60	590	1,430	2,338	3,571	8,189
Neurosurgery	191	123	1,074	600	1,270	1,303	4,561
Interventional Radiology	14	1	18	3	656	2,961	3,653
Rheumatology	38	12	138	2,428	390	32	3,038
Other Treatment Functions	24	10	81	278	223	591	1,207
Total	13,238	1,953	26,017	33,177	61,463	32,458	168,306

What is the data telling us?


For elective activity the treatment specialty code indicated within the hospital data varies by hospital trust. Overall the most common specialties are trauma and orthopaedics and pain management/anaesthetics, however for Oxford Hospitals the highest volume of activity is recorded within pain management/anaesthetics and spinal surgery service.

The second table shows the different types of injections being undertaken within each of the treatment function codes and demonstrates that nationally over 62% (104,751) of injections take place within Pain Management/Anaesthetics and 25% of injections are undertaken within Trauma and Orthopaedics.

The most common injection type is facet joint injections, which mainly take place within Pain Management/Anaesthetics treatment function, but are also being used in Trauma and Orthopaedics, Spinal Surgery Service and Neurosurgery.


Hospital Trust activity from CCGs

6. Patient flows from CCG to Hospital Trust for back and radicular pain in people aged 16 years and over (April 2014 - March 2015)



a. Hospital elective admissions by CCG population (percentage of activity)

b. Hospital elective admissions by CCG population (actual activity)



What is the data telling us?


There is variation between hospital trusts in terms of the number of patients from each of the CCGs that are admitted for back and radicular pain.

Royal Berkshire hospital have activity from multiple South Central CCGs as does Frimley Hospital even though it is located in a neighbouring CCG to the South Central region. For this reason, the majority of Frimley's activity comes from CCGs not included in this report but in the Trust level data we will report all of Frimley's activity related to back and radicular pain.

The data is shown in two ways, indicating both the proportion and amount of activity relating to each CCG.


Hospital Trust activity from CCGs

6. Patient flows from CCG to Hospital Trust for back and radicular pain in people aged 16 years and over (April 2014 - March 2015)



c. Hospital elective admissions for surgery by CCG population (percentage of activity)

d. Hospital elective admissions for surgery by CCG population (actual activity)



What is the data telling us?


There is variation between hospital trusts in terms of the number of patients from each of the CCGs that are admitted for surgery for back and radicular pain. In the South Central, Oxford and Frimley do the highest volume of spinal surgery.

Frimley and Royal Berkshire providers are more likely to take patients from several different CCGs across the region compared to the other Trusts which predominantly admit patients from the CCG(s) where they are located.

The data is shown in two ways, indicating both the proportion and number of admissions relating to each CCG.


Hospital Trust activity from CCGs

6. Patient flows from CCG to Hospital Trust for back and radicular pain in people aged 16 years and over (April 2014 - March 2015)



e. Hospital elective admissions for injections by CCG population (percentage of activity)

f. Hospital elective admissions for injections by CCG population (actual activity)



What is the data telling us?


There is variation between hospital trusts in terms of the number of patients from each of the CCGs that are admitted for injections for back and radicular pain. In the South Central, Frimley do the highest volume of injections.

Frimley and Royal Berkshire providers are more likely to take patients from several different CCGs across the region compared to the other Trusts which predominantly admit patients from the CCG(s) where they are located.


The data is shown in two ways, indicating both the proportion and number of admissions relating to each CCG.

CCG activity to Hospital Trust

7. Patient flows to Hospital Trusts from CCGs for back pain in people aged 16 years and over (April 2014 - March 2015) a. Hospital elective admissions by CCG population (percentage of activity)



b. Hospital elective admissions from each CCG (actual activity)



What is the data telling us?

There is variation between CCGs in terms of the number of the number of hospital trusts that their patients are admitted to.


Wiltshire CCG patients attend three of the acute hospital trusts as well as using independent sector providers in contrast to Swindon CCG that uses Great Western and Windsor, Ascot & Maidenhead CCG, Bracknell & Ascot CCG and Slough CCG that use mainly Frimley Hospital.

Activity is highest for Gloucestershire CCG and Wiltshire CCG with high use of Independent Sector providers.


The data is shown in two ways, indicating both the proportion and amount of activity relating to each hospital trust.

CCG activity to Hospital Trust

7. Patient flows to Hospital Trusts from CCGs for back pain in people aged 16 years and over (April 2014 - March 2015) c. Hospital elective admissions for surgery by CCG population (percentage of activity)



d. Hospital elective admissions for surgery from each CCG (actual activity)



What is the data telling us?


Wiltshire CCG patients attend three of the acute hospital trusts but their greatest spinal surgery activity is with independent sector providers in contrast to Oxfordshire CCG that uses mainly Oxford University Hospital, Swindon CCG that uses mainly Great Western Hospital and Windsor, Ascot & Maidenhead CCG, Bracknell & Ascot CCG and Slough CCG that use mainly Frimley Hospital.

Activity is highest for Gloucestershire CCG and Wiltshire CCG with high use of Independent Sector providers.


The data is shown in two ways, indicating both the proportion and amount of activity relating to each hospital trust.

CCG activity to Hospital Trust

7. Patient flows to Hospital Trusts from CCGs for back pain in people aged 16 years and over (April 2014 - March 2015) e. Hospital elective admissions for injections by CCG population (percentage of activity)



f. Hospital elective admissions for injections from each CCG (actual activity)



What is the data telling us?


Wiltshire CCG patients attend three of the acute hospital trusts as well as independent providers for injections in contrast to Swindon CCG that uses mainly Great Western Hospital and Windsor, Ascot & Maidenhead CCG, Bracknell & Ascot CCG and Slough CCG that use mainly Frimley Hospital.

Activity is highest for Gloucestershire CCG and Wiltshire CCG with high use of Independent Sector providers. It should be noted that in South Central region 10 of the 14 Trusts use inpedendent sector providers for injections.


The data is shown in two ways, indicating both the proportion and amount of activity relating to each hospital trust.

Hospital Trust activity (national level)


8. Hospital admissions for low back and radicular pain in people aged 16 years and over (1st April 2011 - 31st March 2015) a. Hospital admissions by procedure type over time (all admission types)



b. Elective hospital admissions by surgery procedure type over time



c. Hospital admissions by injection procedure type over time



What is the data telling us?

These charts show national trends in the types of procedures undertaken during elective admissions including a group where no procedure was undertaken during their admission. There is also a category listed as 'procedure not linked to back pain' which reports admission activity where there is a primary diagnosis of back pain but with a procedure not linked to back pain.


The main procedure type relating to elective admissions are for back and radicular pain injections which has increased from a combined total of just under 140,000 to 170,000 episodes over the four year period. This is in stark contrast to number of admissions related to surgery which has remained relatively constant at 30,000 admissions per year. The proportion of admissions with no procedure reported has remained at approximately 15-16% of all activity.

The charts in sections b and c show the elective admissions over time specifically for different groups of surgery procedures and injections.


- 9. Elective hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 March 2015)
- a. Elective hospital admissions by procedure type (national level including all providers)

Procedure type	Back	Radicular	Total	%
Radicular Pain Injections	40,034	53,571	93,605	39.5%
Back Pain Injections	62,317	12,384	74,701	31.5%
Surgery	3,925	23,743	27,668	11.7%
Pain Management excluding Injections	13,150	3,647	16,797	7.1%
Procedure not linked to Back Pain	8,197	4,568	12,765	5.4%
No procedure done	6,060	4,492	10,552	4.4%
Imaging	712	373	1,085	0.5%
Other Non-Surgical	53	30	83	0.0%
Total	134,448	102,808	237,256	100%

b. Number of elective admissions per hospital Trust, by procedure type (percentage of activity) (South Central Providers only)



c. Number of elective admissions per hospital Trust, by procedure type (actual activity) (South Central Providers only)




What is the data telling us?

The table shows the number of procedures done in the latest 12 month period, by procedure type, with injections being the most common elective procedure. Nationally only 4.4% of elective admissions have no procedure recorded (compared to 15-16% of all admission types - see previous sheet).


On average, there is a higher proportion of admissions for surgery across South Central providers. Three of the South Central Trusts have a higher proportion of elective activity for injections than the England rate and it is possible that the variation is due to differences in the point of delivery of care across hospital Trusts (for example it is possible that activity may also take place as outpatient procedures).


The data is shown in two ways, indicating both the proportion and amount of activity relating to each procedure.

9. Elective hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) d. Number of elective admissions for injections per hospital Trust, by injection type (percentage of activity) (South Central Providers only)



e. Number of elective admissions for injections per hospital Trust, by injection type (actual activity) (South Central Providers only)





f. Proportion of elective admissions for lumbar facet joint injections, by hospital trust

What is the data telling us?

ig Hospita

dir Circle Re

Royal Berkshire

Great Western

Injections for radicular pain (i.e. epidurals and spinal nerve root joint injections) are those most frequently done within the South Central region, constituting around two-thirds of all injection activity compared to 57% across England as a whole.

Frimley

Salisbury


The data is shown in two ways, indicating both the proportion and amount of activity relating to each CCG.

Bath


The proportion of facet joint injections done at Trust level ranges from 9% to 62% compared to the England figure of 37%.

oxford

9. Elective hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) g. Number of elective admissions for surgery per hospital Trust, by surgery type (percentage of activity) (South Central Providers only)



h. Number of elective admissions for surgery per hospital Trust, by surgery type (actual activity) (South Central Providers only)



What is the data telling us?


The charts above show the range in activity relating specifically to elective admissions for surgery, by type of surgery, for the South Central Trusts.


South Central providers combined do a higher proportion of spinal fusions compared to England and there are variations at Trust level. Although decompression is the most common surgical procedure for back pain across providers.

The data is shown in two ways, indicating both the proportion and amount of activity relating to each surgery type.

CCG activity by back pain procedure group


10. Elective hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) a. Number of elective admissions for surgery per CCG, by surgery type (South Central only)





b. Number of elective admissions for injections per CCG, by injection type (South Central only)

c. Number of elective admissions for lumbar facet joint injections, by CCG (South Central only)



What is the data telling us?

ast ēlē

Chart 10a shows the range in the activity rate per 100,000 relating specifically to elective admissions for surgery, by type of surgery, for the South Central CCGs, with chart 9b showing the same for injections.

Five CCGs have higher rates for all surgery combined compared to England with Wiltshire CCG and Newby & District CCG having notably higher rates of fusion compared to both the South Central and England rates

Six CCGs have higher rates for all types of injections compared to England rates. Proportion of lumbar facet joint injections vary from 9% at Swindon CCG to 46% at Oxfordshire CCG.

28


131

69

130

Englanc

11. Hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) a. Elective admissions for back pain by patient classification and type, all providers




Other Patient Types are Amenity patients and Category II patients, and where the Administrative Category is unknown.

b. Elective admissions for back pain, average length of stay by provider

67% of elective admissions for back pain are day cases, therefore the range in length of stay has not been calculated.

c. Emergency admissions for back pain, average length of stay by provider (South Central Trusts only)



What is the data telling us?

Over 98% of elective admissions for back pain in the current data extraction relate to NHS patients, with just over 0.5% relating to private patients.

The boxplot indicates the variation in length of stay for emergency admissions to the South Central Trusts and shows that all Trusts have a higher median length of stay (ranging from 1 to 2 days), compared to the England rate of zero days.

Hospital Trust Activity Total Costs

12. Total costs to the commissioner for hospital admissions for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015)

a. Total Costs by Admission Method Type (South Central FTs only)

Provider Name	El	Elective E		ergency	Othe	r	Tot	tal
Frimley	£	4,847,361	£	967,824	£	28,612	£	5,843,797
Oxford	£	3,074,354	£	852,120	£	131,600	£	4,058,074
Royal Berkshire	£	2,815,445	£	489,875	£	6,143	£	3,311,463
Gloucestershire	£	2,055,964	£	568,249	£	2,217	£	2,626,429
Buckinghamshire	£	2,091,169	£	290,480	£	2,476	£	2,384,125
Salisbury	£	1,580,470	£	372,849	£	1,272	£	1,954,590
Great Western	£	1,148,428	£	391,954	£	31,793	£	1,572,175
Bath	£	496,774	£	366,399	£	943	£	864,117
Total	£	18,109,965	£	4,299,750	£	205,055	£	22,614,770

b. Total Costs by Procedure Type (South Central FTs only)

													Pain	ı				
									Pro	cedure not	t		Management					
			Rad	icular pain	Bacl	k pain	Nop	procedure	link	ed to back			excl	uding	Other N	on-		
Provider Name	Sur	gery	Inje	ctions	Inje	ctions	don	e	pair	ו	Ima	ging	Inje	ctions	Surgical		Tot	al
Frimley	£	2,154,365	£	1,342,999	£	594,304	£	512,988	£	369,788	£	334,263	£	535,089	£	-	£	5,843,797
Oxford	£	2,420,201	£	12,926	£	219,612	£	272,378	£	737,238	£	255,855	£	139,866	£	-	£	4,058,074
Royal Berkshire	£	1,586,686	£	967,697	£	97,794	£	147,932	£	284,126	£	187,555	£	39,671	£	-	£	3,311,463
Gloucestershire	£	1,249,099	£	291,691	£	397,649	£	301,345	£	143,055	£	198,270	£	45,319	£	-	£	2,626,429
Buckinghamshire	£	934,854	£	527,378	£	356,579	£	106,773	£	123,046	£	121,896	£	213,600	£	-	£	2,384,125
Salisbury	£	1,262,410	£	161,184	£	57,725	£	161,698	£	129,773	£	125,069	£	56,732	£	-	£	1,954,590
Great Western	£	818,386	£	294,810	£	26,532	£	164,821	£	154,043	£	113,583	£	-	£	-	£	1,572,175
Bath	£	462,733	£	55,197	£	5,636	£	184,481	£	51,160	£	101,244	£	1,204	£	2,462	£	864,117
Total	£	10,888,733	£	3,653,883	£	1,755,831	£	1,852,416	£	1,992,230	£	1,437,734	£	1,031,481	£	2,462	£	22,614,770

What is the data telling us?

Across all South Central Trusts in 2014/15 the total cost to commissioners for back and radicular pain admissions was almost £22.6 million, with 80% of the costs attributed to elective activity.


The surgery procedures group accounts for almost 48% of the total cost of all procedures, and the cost of injections is an additional 24% of the total.

CCG Activity Total Costs

13. Hospital admissions Total Cost for low back and radicular pain in people aged 16 years and over (April 2014 - March 2015) a. All Admission Methods - Table

		All Adr	niss	sions		Elective A	۱dm	issions		Emergency	/ Adı	missions	
													Registered
	Cost	per head			Со	st per head			Co	st per head			Population
Responsible CCG Name	of Po	pulation	Total Cost		of Population		Total Cost		of	Population	Tot	al Cost	(Ages 15+)
Bath & North East Somerset	£	4.73	£	817,000	£	3.85	£	664,941	£	0.80	£	137,309	172,566
Windsor, Ascot & Maidenhead	£	4.94	£	637,013	£	3.49	£	449,932	£	1.38	£	178,472	129,077
Oxfordshire	£	4.97	£	2,939,479	£	3.72	£	2,201,968	£	1.18	£	699,738	591,158
Slough	£	5.52	£	645,026	£	3.84	£	448,962	£	1.44	£	168,421	116,790
Swindon	£	5.62	£	1,048,336	£	4.41	£	821,508	£	1.22	£	226,828	186,494
Chiltern	£	6.60	£	1,792,447	£	5.61	£	1,524,094	£	0.95	£	258,297	271,615
Gloucestershire	£	6.75	£	3,576,206	£	5.22	£	2,765,149	£	1.35	£	715,489	529,610
Bracknell & Ascot	£	7.64	£	867,222	£	6.56	£	744,796	£	1.07	£	121,182	113,575
Aylesbury Vale	£	7.67	£	1,290,139	£	6.50	£	1,092,208	£	1.16	£	195,624	168,155
Wiltshire	£	8.79	£	3,543,805	£	7.00	£	2,822,057	£	1.67	£	673,329	402,990
South Reading	£	8.94	£	1,013,574	£	7.78	£	881,922	£	1.15	£	130,192	113,336
Wokingham	£	10.15	£	1,309,907	£	9.08	£	1,170,751	£	1.01	£	130,699	128,999
Newbury & District	£	11.73	£	1,116,750	£	10.65	£	1,013,541	£	1.01	£	96,388	95,189
North & West Reading	£	11.92	£	1,055,036	£	10.70	£	946,918	£	1.21	£	106,874	88,499
South Central Total	£	6.97	£	21,651,941	£	5.65	£	17,548,747	£	1.24	£	3,838,841	3,108,053

b. All Admission Methods - Quintile Chart



c. Elective Admissions only, by Procedure Type

													Pain					
										edure not				agement			1	Total Cost
							•		linked to back		excluding		•	Other Non-				
Responsible CCG Name	Sur	gery	Injec	tions	Inje	ctions	done		pain		Imaging		Injec	tions	Surgica			
Wiltshire	£	1,950,990	£	330,705	£	117,996	£	9,786	£	313,268	£	7,210	£	92,103	£	-	£	2,822,057
Gloucestershire	£	1,609,531	£	466,067	£	429,692	£	15,485	£	156,545	£	6,135	£	81,694	£	-	£	2,765,149
Oxfordshire	£	1,525,933	£	100,112	£	217,859	£	12,112	£	248,893	£	4,689	£	92,370	£	-	£	2,201,968
Chiltern	£	650,617	£	368,416	£	206,519	£	2,126	£	123,353	£	6,014	£	167,048	£	-	£	1,524,094
Wokingham	£	612,778	£	353,922	£	58,524	£	-	£	84,683	£	5,234	£	55,611	£	-	£	1,170,751
Aylesbury Vale	£	512,265	£	247,446	£	176,931	£	2,341	£	53,300	£	7,884	£	92,042	£	-	£	1,092,208
Newbury & District	£	589,470	£	281,313	£	70,779	£	-	£	49,584	£	4,917	£	17,478	£	-	£	1,013,541
North & West Reading	£	508,005	£	271,466	£	55,278	£	568	£	55,254	£	2,327	£	53,566	£	453	£	946,918
South Reading	£	401,886	£	276,121	£	45,732	£	5,909	£	97,468	£	3,223	£	50,884	£	699	£	881,922
Swindon	£	541,838	£	174,013	£	18,519	£	747	£	62,136	£	1,072	£	23,184	£	-	£	821,508
Bracknell & Ascot	£	356,416	£	182,051	£	72,549	£	-	£	55,198	£	1,315	£	77,267	£	-	£	744,796
Bath & North East Somerset	£	348,066	£	133,499	£	42,611	£	15,055	£	110,840	£	-	£	12,408	£	2,462	£	664,941
Windsor, Ascot & Maidenhead	£	223,394	£	95,791	£	51,336	£	847	£	27,754	£	1,499	£	49,311	£	-	£	449,932
Slough	£	182,107	£	130,228	£	38,514	£	1,572	£	67,599	£	1,398	£	27,545	£	-	£	448,962

What is the data telling us?

There is wide variation across the CCGs in South Central in cost per head of population for admissions related to back and radicular pain.

North and West Reading CCG has the highest spend per head of population regionally (£11.92) driven mainly by high costs for elective admissions. Bath and North East Somerset CCG has the lowest costs per head for both emergency and elective admissions (£4.73) in the region as well as being in the lowest quintile nationally.

The final table shows the total spend for elective admissions for each CCG for 2014/15 (based on national tariff) and includes a breakdown of this spend by procedure type. Surgery generally accounts for the majority of spend, and this is consistently seen across all CCGs in South Central region.

14. Back & Radicular Pain Admissions Breakdown for the South Central Region

Highlighted Provider Data is included in this report

(Red=Complex Spinal Provider, Blue=NHS Trust & Green=Independent Sector Provider) **Elective Admissions** Emergency Other Admission Code Provider Name Surgery Injections Other Admissions Total Types RHW ROYAL BERKSHIRE NHS FOUNDATION TRUST 260 1 461 243 289 <6 2.257 GLOUCESTERSHIRE HOSPITALS NHS FOUNDATION TRUST RTF 204 1 0 1 9 160 417 <6 1.801 RXQ BUCKINGHAMSHIRE HEALTHCARE NHS TRUST 1.768 117 1.043 390 216 <6 RDU FRIMLEY HEALTH NHS FOUNDATION TRUST 242 438 <6 1,634 160 793 RD1 ROYAL UNITED HOSPITALS BATH NHS FOUNDATION TRUST 1,238 1,555 197 <6 78 40 RTH OXFORD UNIVERSITY HOSPITALS NHS TRUST 276 414 282 495 20 1,487 RN3 GREAT WESTERN HOSPITALS NHS FOUNDATION TRUST 167 405 318 943 RNZ SALISBURY NHS FOUNDATION TRUST 125 341 106 177 <6 750 NV323 CIRCLE READING HOSPITAL 109 327 <6 472 35 NT344 SPIRE DUNEDIN HOSPITAL 25 225 173 423 NT402 **BMI - BATH CLINIC** 52 354 15 421 NVC22 WINFIELD HOSPITAL 68 328 <6 401 NT410 **BMI - THE CHILTERN HOSPITAL** 12 167 72 251 RVJ NORTH BRISTOL NHS TRUST 92 42 233 50 47 <6 NVC02 THE BERKSHIRE INDEPENDENT HOSPITAL 21 141 10 172 NV302 CIRCLE BATH HOSPITAL 125 31 10 166 NT430 BMI - THE RIDGEWAY HOSPITAL 71 62 14 147 NT435 BMI - THE SHELBURNE HOSPITAL 17 78 38 133 NT418 **BMI - THE HAMPSHIRE CLINIC** 14 104 14 132 RN5 HAMPSHIRE HOSPITALS NHS FOUNDATION TRUST <6 77 17 19 <6 119 NT428 **BMI - THE PRINCESS MARGARET HOSPITAL** 20 77 16 113 NTPH4 CIRENCESTER NHS TREATMENT CENTRE <6 86 10 97 NVC09 NEW HALL HOSPITAL 29 27 16 72 R1J GLOUCESTERSHIRE CARE SERVICES NHS TRUST <6 32 38 71 RYJ 12 17 IMPERIAL COLLEGE HEALTHCARE NHS TRUST 18 58 11 RAN ROYAL NATIONAL ORTHOPAEDIC HOSPITAL NHS TRUST 53 36 <6 12 RAS THE HILLINGDON HOSPITALS NHS FOUNDATION TRUST 9 28 50 13 NT343 SPIRE THAMES VALLEY HOSPITAL 26 47 15 e 36 ААН #N/A 36 RD8 MILTON KEYNES HOSPITAL NHS FOUNDATION TRUST 12 <6 14 27 RWG WEST HERTFORDSHIRE HOSPITALS NHS TRUST <6 <6 26 12 8 ROM CHELSEA AND WESTMINSTER HOSPITAL NHS FOUNDATION TRUST 7 13 <6 24 23 RHM UNIVERSITY HOSPITAL SOUTHAMPTON NHS FOUNDATION TRUST <6 10 7 <6 7 23 RTK ASHFORD AND ST PETER'S HOSPITALS NHS FOUNDATION TRUST <6 12 RRV UNIVERSITY COLLEGE LONDON HOSPITALS NHS FOUNDATION TRUST <6 10 8 21 RC9 LUTON AND DUNSTABLE UNIVERSITY HOSPITAL NHS FOUNDATION TRUST <6 7 <6 <6 14 RJ1 GUY'S AND ST THOMAS' NHS FOUNDATION TRUST 14 <6 <6 14 NT405 BMI - BISHOPS WOOD 12 <6 14 NT434 BMI - THE SAXON CLINIC 11 <6 12 NT411 BMI - THE CLEMENTINE CHURCHILL HOSPITAL <6 6 <6 NT431 BMI - THE RUNNYMEDE HOSPITAL 12 12 NT433 BMI - SARUM ROAD HOSPITAL 10 <6 12 RKB UNIVERSITY HOSPITALS COVENTRY AND WARWICKSHIRE NHS TRUST <6 <6 <6 <6 10 RA7 UNIVERSITY HOSPITALS BRISTOL NHS FOUNDATION TRUST <6 7 8 . RIC SOUTH WARWICKSHIRE NHS FOUNDATION TRUST <6 <6 <6 8 7 NLX01 ST MARTINS HOSPITAL <6 <6 ROYAL CORNWALL HOSPITALS NHS TRUST 6 REF 6 R1H <6 BARTS HEALTH NHS TRUST <6 <6 RJ7 ST GEORGE'S UNIVERSITY HOSPITALS NHS FOUNDATION TRUST <6 <6 <6 <6 <6 RRJ THE ROYAL ORTHOPAEDIC HOSPITAL NHS FOUNDATION TRUST <6 <6 <6 <6 RWH EAST AND NORTH HERTFORDSHIRE NHS TRUST <6 <6 NT206 NUFFIELD HEALTH, BRISTOL HOSPITAL (CHESTERFIELD) <6 <6 RJZ KING'S COLLEGE HOSPITAL NHS FOUNDATION TRUST <6 <6 <6 <F RRK UNIVERSITY HOSPITALS BIRMINGHAM NHS FOUNDATION TRUST <6 <6 <6 <6 <6 <6 <6 RVV EAST KENT HOSPITALS UNIVERSITY NHS FOUNDATION TRUST <6 <6 RWP WORCESTERSHIRE ACUTE HOSPITALS NHS TRUST <6 <6 <6 NUFFIELD HEALTH, WOKING HOSPITAL NT241 <6 <6 <6 NT302 SPIRE BRISTOL HOSPITAL <6 NT422 BMI - THE LONDON INDEPENDENT HOSPITAL <6 <6 <6 ASHTEAD HOSPITAL <6 NVC01 <6 <6 R1K LONDON NORTH WEST HEALTHCARE NHS TRUST <6 <6 <6 RAL ROYAL FREE LONDON NHS FOUNDATION TRUST <6 <6 RBA TAUNTON AND SOMERSET NHS FOUNDATION TRUST <6 <6 <6 <6 RD3 POOLE HOSPITAL NHS FOUNDATION TRUST <6 <6 <6 <6 <6 RI2 LEWISHAM AND GREENWICH NHS TRUST <6 RNS NORTHAMPTON GENERAL HOSPITAL NHS TRUST <6 -<6 <6 RVR EPSOM AND ST HELIER UNIVERSITY HOSPITALS NHS TRUST <6 <6 SHREWSBURY AND TELFORD HOSPITAL NHS TRUST RXW <6 <6 <6 NT345 SPIRE CLARE PARK HOSPITAL <6 RA2 ROYAL SURREY COUNTY HOSPITAL NHS FOUNDATION TRUST <6 <6 RAX KINGSTON HOSPITAL NHS FOUNDATION TRUST <6 <6 RDZ <6 THE ROYAL BOURNEMOUTH AND CHRISTCHURCH HOSPITALS NHS FOUNDATION TRUST <6 <6 <6 RJ6 CROYDON HEALTH SERVICES NHS TRUST <6 RK5 SHERWOOD FOREST HOSPITALS NHS FOUNDATION TRUST <6 <6 RL1 THE ROBERT JONES AND AGNES HUNT ORTHOPAEDIC HOSPITAL NHS FOUNDATION TRUST <6 <6 <6 RI4 THE ROYAL WOLVERHAMPTON NHS TRUST <6 <6 <6 RIO WYE VALLEY NHS TRUST <6 RNU <6 OXFORD HEALTH NHS FOUNDATION TRUST <6 <6 <6 <6 RTR SOUTH TEES HOSPITALS NHS FOUNDATION TRUST <6 -<6 RW1 SOUTHERN HEALTH NHS FOUNDATION TRUST <6 <6 <6 RYR WESTERN SUSSEX HOSPITALS NHS FOUNDATION TRUST <6 _ NLX02 PAULTON MEMORIAL HOSPITAL <6 <6 <6 NT202 NUFFIELD HEALTH, BOURNEMOUTH HOSPITAL <6

14. Back & Radicular Pain Admissions Breakdown for the South Central Region

Highlighted Provider Data is included in this report (Red=Complex Spinal Provider, Blue=NHS Trust & Green=Independent Sector Provider)

		Ele	ctive Admissi	ons	Emergency	Other Admission		
Code	Provider Name	Surgery	Injections	Other	Admissions	Types	Total	
NT224	NUFFIELD HEALTH, WARWICKSHIRE HOSPITAL	-	<6	-	-	-	<6	
NT304	SPIRE SOUTHAMPTON HOSPITAL	-	<6	-	-	-	<6	
NT449	BMI THE LANCASTER HOSPITAL	-	<6	-	-	-	<6	
NTC02	EMERSONS GREEN NHS TREATMENT CENTRE	-	-	<6	-	-	<6	
NTPH1	SHEPTON MALLET NHS TREATMENT CENTRE	-	<6	-	-	-	<6	
NYW04	ASPEN - CLAREMONT HOSPITAL	<6	<6	-	-	-	<6	
RA3	WESTON AREA HEALTH NHS TRUST				<6	-	<6	
RBL	WIRRAL UNIVERSITY TEACHING HOSPITAL NHS FOUNDATION TRUST				<6	-	<6	
RBZ	NORTHERN DEVON HEALTHCARE NHS TRUST				<6	-	<6	
RCB	YORK TEACHING HOSPITAL NHS FOUNDATION TRUST				<6	-	<6	
RCX	THE QUEEN ELIZABETH HOSPITAL, KING'S LYNN, NHS FOUNDATION TRUST				<6	-	<6	
RDY	DORSET HEALTHCARE UNIVERSITY NHS FOUNDATION TRUST	-	<6	-	-	-	<6	
RE9	SOUTH TYNESIDE NHS FOUNDATION TRUST				<6	-	<6	
REM	AINTREE UNIVERSITY HOSPITAL NHS FOUNDATION TRUST				<6	-	<6	
RGN	PETERBOROUGH AND STAMFORD HOSPITALS NHS FOUNDATION TRUST				<6	-	<6	
RJL	NORTHERN LINCOLNSHIRE AND GOOLE NHS FOUNDATION TRUST	-	-	<6	-	-	<6	
RK9	PLYMOUTH HOSPITALS NHS TRUST				<6	-	<6	
RKE	THE WHITTINGTON HOSPITAL NHS TRUST				<6	-	<6	
RM2	UNIVERSITY HOSPITAL OF SOUTH MANCHESTER NHS FOUNDATION TRUST				<6	-	<6	
RQ6	ROYAL LIVERPOOL AND BROADGREEN UNIVERSITY HOSPITALS NHS TRUST				<6	-	<6	
RR8	LEEDS TEACHING HOSPITALS NHS TRUST				<6	-	<6	
RTD	THE NEWCASTLE UPON TYNE HOSPITALS NHS FOUNDATION TRUST				<6	-	<6	
RTP	SURREY AND SUSSEX HEALTHCARE NHS TRUST				<6	-	<6	
RWJ	STOCKPORT NHS FOUNDATION TRUST	-	<6	-	-	-	<6	
RXC	EAST SUSSEX HEALTHCARE NHS TRUST				<6	-	<6	
RXL	BLACKPOOL TEACHING HOSPITALS NHS FOUNDATION TRUST				<6	-	<6	
NT417	BMI - GORING HALL HOSPITAL	-	<6	-	-	-	<6	
NT419	BMI - THE HARBOUR HOSPITAL	-	<6	-	-	-	<6	
NT424	BMI - THE MERIDEN HOSPITAL	<6	-	-	-	-	<6	
NTPH3	DEVIZES NHS TREATMENT CENTRE	-	-	<6	-	-	<6	
NVC16	RENACRES HOSPITAL	<6	-	-	-	-	<6	
NXM01	THE HORDER CENTRE - ST JOHNS ROAD	- 1	<6	-	-	-	<6	
NYW03	ASPEN - HIGHGATE HOSPITAL	-	<6	-	-	-	<6	
Total		1,977	9,256	2,180	2,786	89	16,288	

DOCUMENT GOVERNANCE					
Document name	Back Pain Report				
Document type	Final				
Version	0.5				
Date	12/05/2016				
Document Classification	Confidential				
Prepared on behalf of	GIRFT				
Created by	Adam Fearing, Andrea Brown & Liz Lingard				
Approved by Epidemiologist	Liz Lingard				
Approved by Project Director	Helen Ridley				
Peer Reviewed by (if appropriate)					
Originating organisation	NEQOS				
Website of originating organisation	www.neqos.nhs.uk -				
	Please contact the NEQOS advisory service through this web link for further				
	information or to enquire about NEQOS undertaking similar work.				
Contact email address	neqos@nhs.net_				
Public file location	N/A				
Internal file location	G:\Project Management\Project Mgt 15-16\Back Pain				

VERSION CONTROL							
Version	Document Type	Date	Amendments	Ву			
0.1	First Draft	10/03/2016		Adam Fearing,			
0.1				Liz Lingard			
0.2	Draft V2	15/03/2016	Amendments & Final QA	Adam Fearing,			
0.2			Amenuments & Final QA	Kayoung Goffe			
0.3	Draft V3	15/04/2016	Further minor amendments	Adam Fearing,			
				Kayoung Goffe			
0.4	Draft V4	03/05/2016	Further minor amendments	Adam Fearing			
0.5	Draft V5	11/05/2016	Further minor amendments	Adam Fearing			
0.6	Draft V6	13/06/2016	Narrative & formatting	Liz Lingard			

CONFIDENTIALITY CHECKLIST – FOR	COMPLETION PRIOR TO ANY DRAFTS SENT TO CLIENTS
Does the report include any small numbers?	Yes
If yes, can we produce a meaningful suppressed version?	Yes, the small numbers in this report have been suppressed. Observed events less than 6 have been replaced by "<6". Rates where the numerator or denominator are less than 6 have been shown, although to calculate that small number would not be possible from the data shown here.
If not, the Epidemiologist AND Director must justify why not here, highlight, and agree the need for an NDA	
Have Lightfoot/HSCIC approved use of NDA in order to disclose small numbers?	
Has the recipient of the report signed the NDA?	